




FACULTY OF MEDICINE
Comenius University
Bratislava

Extracellular DNA in saliva is protected from cleavage by DNase I

Ľubica Janovičová, Dominika Holániová, Barbora Vlková, Peter Celec

Institute of Molecular Biomedicine, Faculty of Medicine, Comenius University,
Bratislava, Slovakia





Isolation of salivary cell-free DNA for cancer detection

Patricia J. Brooks¹, Ethan Z. Malkin^{1,2}, Steven De Michino^{1,2}, Scott V. Bratman^{1,2,3*}

¹ Princess Margaret Cancer Centre, University Health Network, Toronto, ON, Canada, ² Department of Medical Biophysics, Temerty Faculty of Medicine, University of Toronto, Toronto, ON, Canada, ³ Department of Radiation Oncology, Temerty Faculty of Medicine, University of Toronto, Toronto, ON, Canada



Salivary Biomarkers for Oral Squamous Cell Carcinoma Diagnosis and Follow-Up: Current Status and Perspectives

Marta Cristaldi¹, Rodolfo Mauceri^{1,2}, Olga Di Fede¹, Giovanna Giuliani¹, Giuseppina Campisi^{1*} and Vera Panzarella¹

¹ Department of Surgical, Oncological and Oral Sciences, University of Palermo, Palermo, Italy, ² Department of Biomedical and Dental Sciences and Morphofunctional Imaging, University of Messina, Messina, Italy

REVIEW
published: 10 December 2019
doi: 10.3389/fphys.2019.01476





Article

Extracellular DNA and Markers of Neutrophil Extracellular Traps in Saliva from Patients with Periodontitis—A Case–Control Study


Alexandra Gaál Kovalčíková¹, Bohuslav Novák², Oksana Roshko³, Eva Koval'ová³, Michal Pastorek⁴, Barbora Vlková⁴ and Peter Celec^{4,5,*}

- ¹ Department of Pediatrics, National Institute of Children's Diseases and Faculty of Medicine, Comenius University in Bratislava, 83340 Bratislava, Slovakia; alexandra.kovalcikova114@gmail.com
- ² Department of Stomatology and Maxillofacial Surgery, Faculty of Medicine, Comenius University, 81250 Bratislava, Slovakia; bohuslav.novak@fmed.uniba.sk
- ³ Department of Dental Hygiene, Faculty of Health Care, Prešov University, 08001 Prešov, Slovakia; oksana.roshko@unipo.sk (O.R.); kovalova@nexta.sk (E.K.)
- ⁴ Institute of Molecular Biomedicine, Faculty of Medicine, Comenius University, 81108 Bratislava, Slovakia; michal.pastorek@imbm.sk (M.P.); barbora.vlkova@imbm.sk (B.V.)
- ⁵ Institute of Pathophysiology, Faculty of Medicine, Comenius University, 81108 Bratislava, Slovakia

sources of DNA




Aim
- to analyze the effects of the centrifugation and freezing of saliva samples from healthy volunteers



saliva




1600xg
4°C
10 min




saliva



1600xg
4°C
10 min





16 000xg
4°C
10 min



pellet for
isolation

1600xg
aliquot for
isolation




1600xg
aliquot
frozen

+ aliquot for
DNase I treatment




16 000xg
aliquot for
isolation




16 000xg
aliquot
frozen

+ aliquot for
DNase I treatment













ecDNA quantification:



total ecDNA









naked DNA

and






protected DNA

how is the fragment length affected?



Conclusion





INSTITUTE OF MOLECULAR BIOMEDICINE

www.imbm.sk



FACULTY OF MEDICINE

Comenius University
Bratislava



Interesting topics

Are you a biologist, medical student, physicist or informatician?
Do you want to do science?



Fellowships at top universities



[Apply for a PhD!](#)

bonus for publishing

